




## FRAMED BLIND UNIT INSTALLATION PROCEDURES

1. Place top blind channel and bottom matching channel (has notch in right corner) assembly on table.
2. Install one jamb channel assembly tight to upper blind channel and bottom channel in pre drilled holes into screw races. Use 1" x #6 screws. Note that jambs are handed by notches. (Note that right hand jamb has mounting hole at bottom face.)
3. Install second jamb assembly . At this point you should have a framed unit.
4. At this time install frame unit into opening. Shim and install with screws at predrilled mounting holes. Use 1 1/2" x #6 at head and 1" x #6 at other areas. Caulk around base if required after unit is completed assembled.
5. Install bottom-glazing stop on control knob side only. Mount control knob to glazing stop loosely.
6. At right jamb assembly measure d-rod length between blind cable and knob cable allowing for engagement as required. Cut D-rod to length and install control D-rod into drive cable at blind and install D-rod into control knob cable as required (tighten set screw at knob cable engagement).
7. Attached black D-rod clips over D-rod into predrilled holes using 1/2" x #6 screws.
8. Carefully remove clips from blind and slowly hand lower blind into bottom channel assembly. Be careful not to let cord bend blind blades.
9. Tighten control knob at glazing stop and right jamb.
10. Test control knob to make sure blind is operating properly. If not, blind mounting screws at top channel assembly need to be loosened.
11. Remove paper from foam tape (if you feel necessary, some customers leave paper on tape) and mount glass as required. **Glaze control knob side first. Shim as necessary.**  
**NOTE: Clean interior glass prior to installation.**
12. Install face stops and roll-in gasket as required.
13. Repeat opposite side as required.
14. Note: If trim kit is required. Install trim kit first and leave opening as required in shopdrawing. Drill holes though blind frame into trim kits to mount blind frame.










































**Glass Plus**  
Glass Cleaner  
7.5 fl. oz.





















